

# Eggersmann C 14

Top-mounted Shredder



Recycling Technology

impaktor@f-e.de | f-e.de



The Eggersmann C 14 is a versatile pre-shredder for volume optimisation. For just 39,950 €, you can use of the space in your containers as best as possible – reduce your transport costs and CO<sub>2</sub> emissions! The Eggersmann C 14 is suitable for a wide range of materials and all common container types.

The entire concept is patent pending.

## Product Highlights

- › Shred waste at the source
- › Reduce transport costs and CO<sub>2</sub> emissions
- › Attachment for all container types
- › Robust design

## Material

- › Waste Wood
- › Tyres
- › Roots
- › Construction
- › Sandwich panels
- › Commercial Waste
- › Green Waste

## Features

### Reversing Rotor

- › Automatic reversing in the event of material material blockages
- › 15 to 20 revolutions per minute

### Material Feed

- › The feeding hopper is designed for convenient material loading by hand as well as by wheel loader or crane.

### Universal Fastening

- › One fastening mechanism for all applications

### Remote Control

- › Simple and safe handling thanks to remote control

### Transport

- › Quick change between transport and working position thanks to retractable arms
- › Compact dimensions
  - can be stored and transported in skips or containers

### Plug and Play

- › Simply connect to the mains and the shredding process can begin immediately.

### Motor

- › Powerful 7.5 kW electric motor

### Positioning

Crane eyes and forklift pockets (lengthways/crossways) for placement by

- › Crane
- › Wheel loader
- › Forklift truck
- › Telescopic loader

### Adjustable Support Arms

Adjustable for a wide range of container widths

### Optimum Volume Utilisation

- › Adjustable support arms
  - Position adjustment (transverse)
- › Rollers on the universal attachment
  - Position adjustment (lengthwise)

## Options

### Feeding Platform

**A feeding platform specially designed for the Eggersmann C 14 is also available as an option. It offers:**

- › easy material feeding by hand
- › a rail system for even faster module changes
- › easy maintenance

# Eggersmann C 14

Top-mounted Shredder



Recycling Technology

impaktor@f-e.de | f-e.de

Power Output 7,5 kW

Rotor Speed 15 - 20 rpm

Total Weight 1.750 kg

Hopper Volume 1 m<sup>3</sup>

	Transport Dimensions	Working Position
Height (mm)	1,170	1,170
Length (mm)	2,510	2,510
Width (mm)	1,500	3,170
Hopper width (mm)	750	750
Funnel length (mm)	1,400	1,400



Transport Position



Working Position

## Areas of Application

**Volume optimisation of waste streams affects many companies:**

### Construction Sites

- › For large quantities of construction waste such as wood, plastic, plasterboard, concrete parts (without reinforcement) etc.

### Waste Management

- › For waste collection at collection points in containers

### Container Service Providers


- › Service providers who want to reduce the number of tours they make
- › Gardening and landscaping
- › Processing of green waste, branches and roots

### Industry and Trading Companies

- › Processing of waste such as electronic waste, tyres or packaging

### Contractors

- › Inter-company use in different materials



Universal Fastening